



Channel Flow®

Innovative Filtration Solutions

Baldwin's Channel Flow Air Filters...

A Stronger Design For Outstanding Protection

Improved Engine Protection

Design traps contaminants within the filter, preventing them from being passed on to the engine.

Straight-Through Air Flow Pattern

Reduces the amount of space, up to 50%, of traditional filters and allows for new installation possibilities.

Durable Frame

The Channel Flow frame fully encloses the filter, protecting the media from damage during installation and preventing air from being drawn in through the sides of the filter.



Compact, Lightweight

Allows for easier installation and service in tight, compact areas.

Environmentally Friendly

Non-metal filter elements allow for easier, more environmentally friendly disposal and are fully incinerable.


Channel Flow Air Filters Meet High Performance Demands

With the continued demand for higher performance engines, along with stricter emission regulations, leading construction and agricultural manufacturers are designing vehicles with more compact air intake systems. These innovative designs mean better performance, but have less installation space under the hood.

Baldwin Filters' patent pending Channel Flow® air filters provide superior filtration solutions in a lightweight, compact design for easy installation in less space. This new straight-through air flow technology not only allows for less installation space, but also offers manufacturers flexibility in design configuration.


Stronger Media Pack

The flat and corrugated media — in either a rolled or stacked format — is inherently strong, eliminating the need for a centertube and wrapper used in traditional air filters.



Alternately Closed Channels

Air enters the open channels, trapping contaminants inside the filter and allowing clean air to flow through the filter media and out the open channels on the opposite end.



Channel Flow vs. Traditional Filters

More Surface Area

Baldwin's Channel Flow filter has more surface area than a traditional air filter, while requiring the same or less installation space. The Channel Flow media is formed by layering alternating rows of flat sheets and corrugated media. When completed, the media resembles a honeycomb network of channels. As the media pack is formed, alternating channels are sealed with a bead of adhesive. Air enters open channels and flows through the media and out through adjacent open channels.

Increased Capacity

Traditional air filters have an average capacity of about 1 unit of contaminant per unit volume, where as the Channel Flow filter holds 2 units of contaminant per unit volume. This gives Channel Flow twice the capacity of traditional air filters.

High Efficiency

Tests show Channel Flow filters have an average efficiency of 99.99%. This means for every 10,000 units of contaminant introduced to the filter, only one makes its way through. This is comparable to the efficiency of Baldwin Filters' traditional heavy-duty air filters.


Decreased Flow Resistance

Increased air flow is needed for higher performance engines. Increased air flow is also needed to meet tougher exhaust emission standards. With a traditional air filter, air typically enters through the side of the filter housing. The air must then work its way around the filter element, pass through the media, then turn 90° to exit the filter. By eliminating the turns the air needs to make in a traditional air filter, in-line air filters reduce restriction.

Stronger Media Support

Provides essential support when the pressure differential across the element increases due to moisture or contamination. Increased differential pressure can cause the element to "telescope," which can damage the filter.

How Channel Flow Filters Work



1. DIRTY AIR enters the Channel Flow filter through alternately opened channels on the intake side.

- 2. AIR TRAVELS** toward the engine, moving through the media where contaminants are trapped.
- 3. CLEAN AIR** exits the filter through alternately opened channels on the opposite end.

How Baldwin Can Help You



Baldwin has been a leader in mobile filtration for over seventy years.

Baldwin's manufacturing operation is vertically integrated – meaning we manufacture nearly every component used in our filters.

Baldwin's team of engineers, using the latest technology in 3-D CAD modeling and stereo lithographic prototyping, continue to identify

innovative solutions for our customer's filtration needs.

Baldwin's state-of-the-art technical center performs extensive testing in the lab and in the field.

With the largest Sales Force in the industry, and Customer Service and Technical Support Groups on hand, Baldwin's team of professionals is here to assist you with all your needs.

BALDWIN FILTERS® **BALDWIN**

4400 East Highway 30 • P.O. Box 6010
Kearney, Nebraska 68848-6010
Phone: (308) 234-1951 • Toll Free: (800) 822-5394
Fax: (800) 828-4453 • Int'l Fax: (308) 237-9769
Internet: www.baldwinfilter.com

Africa
Baldwin Filters, Pty. Ltd.
Ph: 27-21-534-0029
Email: africa@baldwinfilter.com

China
CLARCOR Filtration (China) Co., Ltd.
Ph: 86-536-2606308
Email: china@baldwinfilter.com

Middle East
Baldwin Filters
Ph: (308) 237-9782
Email: middleeast@baldwinfilter.com

Southeast Asia & Pacific Rim
Baldwin Filters
Ph: (308) 233-9226
Email: southeastasia@baldwinfilter.com

Australia & New Zealand
Baldwin Filters Aust., Pty. Ltd.
Ph: 61-3-9353-7300
Email: australia-newzealand@baldwinfilter.com

Europe
Baldwin Filters N.V.
Ph: (212) 328 18 88
Email: europa@baldwinfilter.com

Morocco
Baldwin Filters Morocco
Ph: (212) 522 70 00 25
Email: morocco@baldwinfilter.com

UK & Ireland
Baldwin Filters Ltd.
Ph: 44-1268-888170
Email: uk-ireland@baldwinfilter.com

Central & South America
Baldwin Filters
Ph: (308) 233-9220
Email: latinamerica@baldwinfilter.com

Mexico
Baldwin Filters, S. de R. L. de C. V.
Ph: 52-442-227-3400
Email: mexico@baldwinfilter.com

Russia
Baldwin Filters
Ph: (308) 237-9749
Email: russia@baldwinfilter.com

